

Linolite



Lighting Catalogue 2005

LIGHTING FOR BATHROOMS / SHOWER ROOMS / DRESSING ROOMS / BEDROOMS



ELITE
04



ELAN
06



ALL INSULATED
08



CSL SHAVER LIGHT
10



RAZORLITE
12



SWIFT
14



OPALITE
16



MULTILIGHT
18



RITZ MIRROR
20



LIDO CURVED
GLASS
22




LIDO CRESCENT
24




LIDO SEMI-
RECESSED
26



LIDO SURFACE
MOUNTED
28



LIDO SINGLE AND
TWIN WALL MOUNTED
30



LIDO POST
32



LIDO IP65
DOWNLIGHTER
34




INTRO IP65
DOWNLIGHTER
36


LIGHTING FOR KITCHENS / BATHROOMS / LIVING ROOMS / DINING ROOMS / BEDROOMS / HALLS/STAIRS/CORRIDORS



CHESS SQUARE
CEILING MOUNTED
40



CHESS SQUARE WALL
MOUNTED 40W HI-PIN
42



CHESS FROSTED WALL
GLASS 40W HI-PIN
44



CHESS IP44
DOWNLIGHTER
46




LUDO IP65
DOWNLIGHTER 12V
48



LUDO IP65 DOWNLIGHT
MAINS VOLTAGE
50



INTRO IP44
DOWNLIGHT 12V
52




INTRO IP44
DOWNLIGHT MAINS VOLTAGE
54

LIGHTING FOR KITCHENS / UTILITY ROOMS / WORKSHOPS / KITCHEN CABINETS / GLASS CABINETS / FURNITURE



LS100 T5 CABINET
LITE
58



LS110 T5 CABINET
LITE
60



LS200 T5 CABINET
LITE
62



LS210 T5 CABINET
LITE
64



LS300 COLD
CATHODE CABINET
LITE
66



LS400 T8 SUPER
LITE BATTEN
68



SLIMLITE SKELETON
STRIPS
70

LIGHTING FOR
BATHROOMS
SHOWER ROOMS
DRESSING ROOMS
BEDROOMS





Elite

→ **MIRRORLIGHT**

→ **SHAVERLIGHT**

Slim profile Mirror and Shaver light for horizontal or vertical mounting. White, Gold and polished Chrome trims, conceal dual voltage shaver socket and separate switch for lamp. Push switch or Pull cord options available. Can also be flush mounted with semi-recessing kit. Supplied with Sylvania 11W Lynx-S energy saving lamp.



Elite

MIRROR AND SHAVERLIGHT



- SLIM PROFILE SURFACE OR FLUSH MOUNTING OPTION
- VERTICAL OR HORIZONTAL MOUNTING
- CLASS 2, IP21
- SUITABLE FOR ZONE 3 BATHROOM USE AS REQUIRED BY I.E.E WIRING REGULATIONS (EXCEPT WHERE WATER JETS ARE USED)
- 11W LYNX-S SYLVANIA ENERGY SAVING LAMP SUPPLIED
- SEPARATE SWITCHING FOR LAMP AND SHAVER SOCKET

Elite Shaverlight with Push Plate and Shaver socket

Code No			Width	Length	Depth
2425707	White	11W Lynx-S	92	480	50
2425708	Chrome	11W Lynx-S	92	480	50
2425709	Gold	11W Lynx-S	92	480	50

Elite Shaverlight with Pull Cord and Shaver socket

Code No			Width	Length	Depth
2425713	White	11W Lynx-S	92	480	50
2425714	Chrome	11W Lynx-S	92	480	50
2425715	Gold	11W Lynx-S	92	480	50

Elite Mirror Light with Push Plate

Code No			Width	Length	Depth
2425716	White	11W Lynx-S	92	480	50
2425717	Chrome	11W Lynx-S	92	480	50
2425718	Gold	11W Lynx-S	92	480	50

Elite Mirror Light with Pull Cord

Code No			Width	Length	Depth
2425719	White	11W Lynx-S	92	480	50
2425720	Chrome	11W Lynx-S	92	480	50
2425721	Gold	11W Lynx-S	92	480	50

Semi Recessed Kit

2425722	Mounting Kit
---------	--------------





Elan

→ SHAVERLIGHT

Surface mounted protected dual voltage shaverlight with pull cord switch. White finish with opal diffuser isolating lampholders for safe re-lamping. Supplied with Sylvania 60W striplight. Choice of white, chrome or gold décor button.



Elan

SHAVERLIGHT

- FOR HORIZONTAL SURFACE MOUNTING
- SHAVER SOCKET MAY BE POSITIONED TO LEFT OR RIGHT
- PROTECTED SHUTTERED DUAL VOLTAGE SHAVER SOCKET
- ISOLATED LAMP HOLDERS FOR SAFE RE-LAMPING
- CLASS 2, IP21
- ZONE 3 BATHROOM USE AS REQUIRED BY I.E.E WIRING REGULATIONS
(EXCEPT WHERE WATER JETS ARE USED)
- SUPPLIED WITH 60W SYLVANIA STRIPLIGHT
- SEPARATE SWITCHING FOR LAMP AND SHAVER SOCKET



Code No		Width	Length	Depth
2425740	60W White with White Décor	80	417	74
2425741	60W White with Chrome Décor	80	417	74
2425742	60W White with Gold Décor	80	417	74





All Insulated

→ SHAVERLIGHT

For horizontal surface mounting with pull cord switch. White finish with opal diffuser, supplied with 60W Sylvania striplight or 11W Lynx-S energy saving lamp. Dual voltage shaver socket and safety isolating transformers.



All Insulated

SHAVERLIGHT

- FOR HORIZONTAL SURFACE MOUNTING
- DUAL VOLTAGE SHAVER SOCKET
- CLASS 2 IP21
- ZONE 3 BATHROOM USE AS REQUIRED BY I.E.E WIRING REGULATIONS
(EXCEPT WHERE WATER JETS ARE USED)
- SUPPLIED COMPLETE WITH SYLVANIA 60W STRIPLIGHT OR 11W LYNX-S ENERGY SAVING LAMP
- SEPARATE SWITCHING FOR LAMP AND SHAVER SOCKET



Code No			Width	Length	Depth
2464980	White	60W Striplight	80	450	70
2464990	White	11W Lynx-S	80	450	70





CSL

→ MIRRORLIGHT

→ SHAVERLIGHT

For horizontal surface mounting with pull cord switch .
White finish with opal diffuser, supplied with 60W Sylvania striplight, 11W Lynx-S energy efficient lamp or T8 18W fluorescent lamp. Dual voltage shaver socket and isolating transformers.



CSL

MIRROR AND SHAVERLIGHT

- FOR HORIZONTAL SURFACE MOUNTING.
- DUAL VOLTAGE SHAVER SOCKET
- CLASS 1 IP21 ZONE 3 BATHROOM USE AS REQUIRED BY I.E.E WIRING REGULATIONS
(EXCEPT WHERE WATER JETS ARE USED)
- SUPPLIED COMPLETE WITH SYLVANIA 60W STRIPLIGHT,
11W LYNX-S OR 18W T8 TUBULAR FLUORESCENT LAMP
- SEPARATE SWITCHING FOR LAMP AND SHAVER SOCKET



CSL Shaverlight

Code No		Width	Length	Depth
2451800	White 60W Striplight	76	420	75
2451840	White 11W Lynx-S	76	420	75
2451820	White 18W T8	76	720	75

CSL Mirror Light

Code No		Width	Length	Depth
2451810	White 60W Striplight	76	420	75
2451850	White 11W Lynx-S	76	420	75
2451830	White 18W T8	76	720	75





Razorlite

→ SHAVELIGHT

For horizontal surface mounting with pull cord switch. White finish with opal diffuser, supplied with 60W Sylvania striplight. Suitable for re-chargeable razors



Razorlite

SHAVERLIGHT

- FOR HORIZONTAL SURFACE MOUNTING.
- CLASS 1 IP20 ZONE 3 BATHROOM USE AS REQUIRED BY I.E.E WIRING REGULATIONS (EXCEPT WHERE WATER JETS ARE USED)
- ISOLATING LAMPHOLDERS FOR SAFE RE-LAMPING
- SUPPLIED COMPLETE WITH SYLVANIA 60W STRIPLIGHT



Code No		Width	Length	Depth
2457440	White 60W	75	419	65





Swift

→ SHAVERLIGHT

For horizontal surface mounting with pull cord switch. White finish with opal diffuser, supplied with 60W Sylvania Striplight. Single or dual voltage shaver socket and isolating transformers.



Swift

SHAVERLIGHT

- FOR HORIZONTAL SURFACE MOUNTING.
- SINGLE OR DUAL VOLTAGE SHAVER SOCKET
- CLASS 2 IP21
- ZONE 3 BATHROOM USE AS REQUIRED BY I.E.E WIRING REGULATIONS
(EXCEPT WHERE WATER JETS ARE USED)
- SUPPLIED COMPLETE WITH SYLVANIA 60W STRIPLIGHT



Code No		Width	Length	Depth
2467440	White Single voltage	72	392	75
2425733	White Dual voltage	72	392	75





Opalite

- **MIRRORLIGHT**
- **SHAVERLIGHT**

Surface mounted horizontal un-obtrusive mirror lighting. White finished with isolating opal diffuser. Suitable for Zone 3 bathroom applications. Supplied with Sylvania 60W striplight.



Opalite

MIRROR AND SHAVERLIGHT

- FOR HORIZONTAL MOUNTING
- ISOLATED LAMPHOLDERS FOR SAFE RE-LAMPING
- UN-SWITCHED, PUSH SWITCH OR PULL CORD OPTIONS.
- CLASS 2 , IP20
- ZONE 3 BATHROOM USE AS REQUIRED BY I.E.E WIRING REGULATIONS
(EXCEPT WHERE WATER JETS ARE USED)
- CODE NO. 2465790 IS NOT SUITABLE FOR USE IN A ROOM WITH A FIXED BATH
- SUPPLIED WITH 60W SYLVANIA STRIPLIGHT



Code No		Width	Length	Depth
2465760	60W White un-switched	44	363	60
2465780	60W White with Pull Cord	44	363	60
2465770	60W White with Push Switch	44	363	60
2465790	60W White Shaverlight With Pull Cord	44	363	60






Multilight

- **MIRRORLIGHT**
- **SHAVERLIGHT**

Surface mounted horizontal un-obtrusive mirror lighting. White with isolating opal diffuser. Suitable for Zone 3 Bathroom applications. Supplied with Sylvania 60W striplight. Remote Switching.



Multilight

MIRROR AND SHAVERLIGHT

- FOR HORIZONTAL MOUNTING
- ISOLATED LAMPHOLDERS FOR SAFE RE-LAMPING
- UN-SWITCHED, PUSH SWITCH OR PULL CORD OPTIONS
- CLASS 2 , IP20
- ZONE 3 BATHROOM USE AS REQUIRED BY I.E.E WIRING REGULATIONS
(EXCEPT WHERE WATER JETS ARE USED)
- CODE NO. 2465750 IS NOT SUITABLE FOR USE IN A ROOM WITH A FIXED BATH
- SUPPLIED WITH 60W SYLVANIA STRIPLIGHT



Code No		Width	Length	Depth
2465720	60W White un-switched	44	363	60
2465740	60W White with Pull Cord	44	363	60
2465730	60W White with Push Switch	44	363	60
2465750	60W White Shaverlight With Pull Cord	44	363	60






Ritz

→ MIRRORLIGHT

Classic mirror light designed for: bedrooms, dressing rooms and bathrooms. Designed to light the face not the glass. Available in chrome, white or brass finishes. Supplied with Sylvania 25W SES round lamps. Remote Switching.



Ritz

MIRRORLIGHT

- CLASSIC DESIGN
- VERTICAL OR HORIZONTAL MOUNTING
- CLASS 2, IP20 FOR BEDROOMS AND DRESSING ROOMS
- ZONE 3 BATHROOM USE, AS REQUIRED BY I.E.E WIRING REGULATIONS
(EXCEPT WHERE WATER JETS ARE USED)
- 4 X 25W SES SYLVANIA ROUND LAMPS SUPPLIED
- CAN BE DIMMED



Code No			Width	Length	Depth
2465800	4 x 25W SES	White	47	600	95
2465810	4 x 25W SES	Brass	47	600	95
2425934	4 x 25W SES	Chrome	47	600	95





Lido Curved Glass

→ MIRRORLIGHT

Frosted glass decorative mirror light with 5 x 10W low voltage lamps create sparkle and interest to bathrooms or dressing rooms. Can be vertically or horizontally surface mounted IP44 Zone 2 or 3. Remote Switching.



Lido Curved Glass

MIRRORLIGHT

- TOUGHENED FROSTED GLASS
- POLISHED CHROME TRIM
- SURFACE MOUNTED VERTICALLY OR HORIZONTALLY
- IP44 , CLASS 1
- SUITABLE FOR BATHROOMS ZONE 2 OR 3 AS REQUIRED BY I.E.E. WIRING REGULATIONS
(EXCEPT WHERE WATER JETS ARE USED)
- SUPPLIED COMPLETE WITH 5 X 10W G4 SYLVANIA HALOGEN CAPSULE LAMPS



Code No		Width	Length	Depth
2425975	5 x 10W 12V G4 Lido frosted glass	90	700	70





Lido Crescent

→ MIRRORLIGHT

Polished chrome crescent shaped mirror light with frosted toughened glass. Surface mounting downward lighting for Bathrooms IP44, Zone 2 or 3. 2 x 9W Sylvania Lynx-S energy saving lamps supplied. Remote Switching.



Lido Crescent

MIRRORLIGHT

- POLISHED CHROME HOUSING
- FROSTED TOUGHENED GLASS PANEL
- HORIZONTAL SURFACE MOUNTING
- IP44, CLASS1
- ZONE 2 OR 3 FOR BATHROOMS AS REQUIRED BY I.E.E WIRING REGULATIONS
(EXCEPT WHERE WATER JETS ARE USED)
- 2 X 9W LYNX-S SYLVANIA ENERGY SAVING LAMPS SUPPLIED



Code No		Width	Length	Depth
2425977	2 x 9W Lynx-S Surface mounted	80	605	107





Lido Semi Recessed

→ MIRRORLIGHT

Polished chrome flush mounted facia with frosted elliptical toughened glass front panel. Can be mounted vertically or horizontally in bathrooms or dressing rooms. 2 x 9W Sylvania Lynx-S energy saving lamps supplied IP44, Zone 2 or 3. Remote Switching.



Lido Semi Recessed

MIRRORLIGHT

- POLISHED CHROME FACIA
- FROSTED TOUGHENED GLASS FRONT PANEL
- FLUSH MOUNTING, VERTICALLY OR HORIZONTALLY
- IP44, CLASS 1
- ZONE 2 OR 3 FOR BATHROOMS AS REQUIRED BY I.E.E WIRING REGULATIONS
(EXCEPT WHERE WATER JETS ARE USED)
- 2 X 9W SYLVANIA LYNX-S ENERGY SAVING LAMPS SUPPLIED



Code No		Width	Length	Depth	Cut Out
2425976	2 x 9W Flush mounted	90	600	58	80 x 570





Lido Surface Mounted

→ MIRRORLIGHT

Polished chrome surface mounted facia with Frosted Elliptical toughened glass Front panel. Can be mounted Vertically or Horizontally in Bathrooms or Dressing rooms. 2 x 9W Sylvania Lynx-S energy saving lamps supplied IP44, Zone 2 or 3. Remote Switching.



Lido Surface Mounted

MIRRORLIGHT

- POLISHED CHROME FACIA AND HOUSING
- FROSTED TOUGHENED GLASS FRONT PANEL
- SURFACE MOUNTING
- HORIZONTALLY OR VERTICALLY
- IP44, CLASS 1
- ZONE 2 OR 3 FOR BATHROOMS AS REQUIRED BY I.E.E WIRING REGULATIONS
(EXCEPT WHERE WATER JETS ARE USED)
- 2 X 9W SYLVANIA LYNX-S ENERGY SAVING LAMPS SUPPLIED



Code No		Width	Length	Depth
2426038	2 x 9W Surface Mounted	90	600	60





Lido

→ MIRRORLIGHT

Satin chrome steel finish mirror light with etched glass. Suitable for bathroom use, IP44 Zone 2 or 3. Sylvania 2 x 40W Hi-Pin halogen capsule lamps supplied. Remote Switching.



Lido

MIRRORLIGHT

- SATIN CHROME FACIA AND BASE PLATE
- TOUGHENED ETCHED GLASS
- SURFACE MOUNTING VERTICAL OR HORIZONTAL (2 X 40W)
- IP44 , CLASS 1
- ZONE 2 OR 3 FOR BATHROOMS AS REQUIRED BY I.E.E WIRING REGULATIONS
(EXCEPT WHERE WATER JETS ARE USED)
- SUPPLIED WITH SYLVANIA HI-PIN 40W G9 MAINS VOLTAGE LAMPS
- CAN BE DIMMED



Code No			Dia	Face Plate	Height
2425978	1 X 40W	G9 Satin chrome	37	110 x 110	170
2425979	2 X 40W	G9 Satin chrome	37	110 x 110	222





Lido Post

→ MIRRORLIGHT

Satin chrome steel finish wall mounted mirror light with etched glass. Suitable for bathroom use, IP44, Zone 2 or 3. Sylvania 40W Hi-Pin G9 halogen capsule lamp supplied. Remote Switching.



Lido Post

MIRRORLIGHT

- SATIN CHROME HOUSING
- TOUGHENED ETCHED GLASS
- SURFACE MOUNTING VERTICALLY ONLY
- IP44, CLASS 1
- ZONE 2 OR 3 FOR BATHROOMS AS REQUIRED BY I.E.E WIRING REGULATIONS
(EXCEPT WHERE WATER JETS ARE USED)
- SUPPLIED WITH SYLVANIA 40W HI-PIN G9 MAINS VOLTAGE LAMP
- CAN BE DIMMED



Code No			Dia	Projection	Height
2425980	40W	Satin chrome	37	136	350





Lido Downlight


→ **IP65**


IP65 Recessed downlight for use in Showers or over baths suitable for Zone 1 applications. 12v 50W MR16 lamp supplied. Satin white or polished chrome



Lido Downlight

IP65

- SATIN WHITE OR POLISHED CHROME FINISH
- TOUGHENED GLASS FRONT LENS
- VANDAL PROOF BEZEL FIXING SCREWS
- IP65 
- SUITABLE FOR ZONE 1, 2 OR 3 USE AS REQUIRED BY I.E.E WIRING REGULATIONS (WHERE WATER JETS ARE LIKELY TO BE USED)
- SUPPLIED WITH SYLVANIA 12V 50W MR16 LAMP (REQUIRES TRANSFORMER)



Code No		Bezel Dia	Recessed Depth	Cut out Dia
2425981	12V 50W MR16 White	95	110	75
2425983	12V 50W MR16 Chrome	95	110	75

Transformers		Width	Length	Depth
2426012	20-60VA	28	91	41
2426013	35-105VA	26	146	38
2426039	50-150VA	30	148	46

Can be dimmed with most types of leading and trailing edge dimmers. Thermally protected against overload and short circuit. Soft start for longer lamp life






Intro Downlight


→ **IP65**

IP65 Recessed downlighter for use in showers or over baths. Suitable for zone 1, 2 and 3 application. 12V 35W MR16. White, chrome and gold finishes



Intro Downlight

IP65

- WHITE, CHROME OR GOLD FINISH
- TOUGHENED FROSTED GLASS FRONT LENS
- IP65 
- SUITABLE FOR ZONE 1,2 OR 3 AS REQUIRED BY I.E.E WIRING REGULATIONS (WHERE WATER JETS ARE LIKELY TO BE USED)
- ORDER SYLVANIA 12V 35W MR16 LAMP (NOT SUPPLIED)
- REQUIRES TRANSFORMER (SEE BELOW)



Code No		Bezel Dia	Recess depth	Cut out Dia
2425884	12V 35W White	80	105	72
2425885	12V 35W Gold	80	105	72
2425886	12V 35W Chrome	80	105	72

Transformers		Width	Length	Depth
2426012	20-60VA	28	91	41
2426013	35-105VA	26	146	38
2426039	50-150VA	30	148	46

Can be dimmed with most types of leading and trailing edge dimmers. Thermally protected against overload and short circuit. Soft start for longer lamp life



LIGHTING FOR
KITCHENS
BATHROOMS
LIVING ROOMS
DINING ROOMS
BEDROOMS
HALLS/STAIRS/CORRIDORS





Chess

→ CEILING MOUNTED

Ceiling mounted stainless steel finished decorative floating frames with etched toughened glass diffusers create soft lighting using Sylvania energy saving lamps for that new interior.



Linolite:SYLVANIA

Chess

CEILING MOUNTED

- SURFACE MOUNTED
- STAINLESS STEEL FINISH FRAME WITH ETCHED GLASS.
- CLASS 1, IP20 FOR NORMAL DRY INTERIORS.
- ENERGY SAVING SYLVANIA 2 X 11W LYNX-S LAMPS SUPPLIED



Code No			Width	Length	Depth
2425985	2 x 11W Silver	Window aperture	300	300	75
2425986	2 x 11W Silver	Round aperture	300	300	75
2425987	2 x 11W Silver	Square aperture	300	300	75






Chess

→ WALL MOUNTED

Wall mounted stainless steel finished frame with etched toughened glass. Complete with Sylvania mains voltage G9 40w Hi-Pin halogen capsule lamp. Can be easily dimmed to create soft lighting effects for that new interior.



Chess


WALL MOUNTED

- SURFACE MOUNTED
- STAINLESS STEEL FINISH FRAME WITH ETCHED GLASS
- CLASS 1, IP20 FOR NORMAL DRY INTERIORS
- 40W G9 SYLVANIA HI-PIN MAINS VOLTAGE HALOGEN LAMP SUPPLIED
- CAN BE DIMMED



Code No	Width	Height	Depth	
2425988	40W G9 Silver Window aperture	160	160	70
2425989	40W G9 Silver Round apertures	160	160	70
2425990	40W G9 Silver Square aperture	160	160	70






Chess

→ WALL MOUNTED

Wall mounted etched glass with stainless finish shield.
Supplied complete with Sylvania 40w G9 mains voltage halogen capsule lamp.
Can be easily dimmed to create soft lighting effects for that new interior.



Chess

WALL MOUNTED

- WALL OR CEILING MOUNTED
- TOUGHENED ETCHED GLASS WITH STAINLESS FINISH SHIELD
- CLASS 1, IP20 FOR NORMAL DRY INTERIORS
- 40W G9 SYLVANIA HI-PIN MAINS HALOGEN LAMP SUPPLIED
- CAN BE DIMMED



Code No			Width	Height	Depth
2425994	40W	G9 Round Silver	250	250	80
2425995	40W	G9 Square Silver	250	250	80







Chess

→ RECESSED DOWNLIGHT


Recessed Downlight with satin silver finish. Three distinctive facia match the Chess range of interior wall and ceiling fixtures. IP 44 Class 2.



Chess

RECESSED DOWNLIGHT

- SATIN SILVER FINISH 86 X 86MM FACIA
- ETCHED TOUGHENED GLASS LENS
- IP44 CLASS 3 ⚡ SUITABLE FOR BATHROOM ZONE 1, 2 AND 3 AS REQUIRED BY I.E.E WIRING REGULATIONS (EXCEPT WHERE WATER JETS ARE USED)
- 12V-35W G4 SYLVANIA CAPSULE LAMP SUPPLIED
- REQUIRES TRANSFORMER (SEE BELOW)



Code No			Cut Out Size	Recess Depth
2425991	12V-35W G4 Silver	Window apertures	75mm x 75mm	110mm
2425992	12V-35W G4 Silver	Round apertures	75mm x 75mm	110mm
2425993	12V-35W G4 Silver	Square aperture	75mm x 75mm	110mm

Transformers		Width	Length	Depth
2426012	20-60VA	28	91	41
2426013	35-105VA	26	146	38
2426039	50-150VA	30	148	46

Can be dimmed with most types of leading and trailing edge dimmers. Thermally protected against overload and short circuit. Soft start for longer lamp life





Ludo


→ **LOW VOLTAGE
DOWNLIGHT**

A range of innovative downlights with decorative bezels for 12V 50W MR 16 lamps in white, satin silver and polished chrome finishes. Wide choice of decorative bezel designs enhance any interior.



Ludo Downlight

LOW VOLTAGE

- 110MM BEZEL , WHITE, SILVER , CHROME
- IP65 CLASS 3 
- ZONE 1,2 AND 3 BATHROOM USE AS REQUIRED BY I.E.E REGULATIONS
(WHERE WATER JETS ARE LIKELY TO BE USED)
- 12V-50W MR16 SYLVANIA LAMP SUPPLIED
- TRANSFORMER REQUIRED (SEE BELOW)



Code No			Cut Out Diameter	Recessed Depth
2425996	12v-50w white	Frosted	90mm	105mm
2425997	12v-50w White	Pointed Cap	90mm	105mm
2425998	12v-50w White	Flat Disc	90mm	105mm
2425999	12v-50w White	Clear	90mm	105mm
2426004	12v-50w Silver	Frosted	90mm	105mm
2426005	12v-50w Silver	Pointed Cap	90mm	105mm
2426006	12v-50w Silver	Flat Disc	90mm	105mm
2426007	12v 50w Silver	Clear	90mm	105mm
2426030	12v-50w Chrome	Frosted	90mm	105mm
2426031	12v-50w Chrome	Pointed Cap	90mm	105mm
2426032	12v-50w chrome	Flat Disc	90mm	105mm
2426033	12v-50w Chrome	Clear	90mm	105mm

Transformers		Width	Length	Depth
2426012	20-60VA	28	91	41
2426013	35-105VA	26	146	38
2426039	50-150VA	30	148	46

Can be dimmed with most types of leading and trailing edge dimmers. Thermally protected against overload and short circuit. Soft start for longer lamp life





Ludo

→ MAINS VOLTAGE DOWNLIGHT

A range of innovative downlights with decorative bezels for 230-240V Sylvania Hi-Spot ES50 lamps in white, satin silver and polished chrome finishes. Wide choice of decorative bezel designs enhance any interior.



Ludo Downlight

MAINS VOLTAGE DOWNLIGHT

- 110 MM BEZEL, WHITE, SILVER , CHROME
- IP65 CLASS 1
- ZONE 1,2 AND 3 BATHROOM USE AS REQUIRED BY I.E.E REGULATIONS
(WHERE WATER JETS ARE LIKELY TO BE USED)
- SYLVANIA 50W ES50 GU10 HI-SPOT MAINS VOLTAGE LAMP SUPPLIED
- CAN BE DIMMED



Code No			Cut Out Dia	Depth
2426000	230-240V,50W white	Frosted	90mm	105mm
2426001	230-240v,50W White	Pointed Cap	90mm	105mm
2426002	230-240V,50W White	Flat Disc	90mm	105mm
2426003	230-240V,50W White	Clear	90mm	105mm
2426008	230-240V,50W Silver	Frosted	90mm	105mm
2426009	230-240V,50W Silver	Pointed Cap	90mm	105mm
2426010	230-240V,50W Silver	Flat Disc	90mm	105mm
2426011	230-240V,50W Silver	Clear	90mm	105mm
2426034	230-240V,50W Chrome	Frosted	90mm	105mm
2426035	230-240V,50W Chrome	Pointed Cap	90mm	105mm
2426036	230-240V,50W Chrome	Flat Disc	90mm	105mm
2426037	230-240V,50W Chrome	Clear	90mm	105mm





Intro Downlight

→ **LOW VOLTAGE**

→ **FIXED**

→ **TILT**

12V 50W recessed downlighters for Sylvania MR16 lamps. Range of finishes to suite traditional or modern interiors. Fixed or 30 Degree Tilt options (transformers required).



Intro

LOW VOLTAGE DOWNLIGHT

- WIDE RANGE OF FINISHES
- RECESSED FIXED DOWNLIGHT OR 30 DEGREE TILT OPTIONS
- IP44 WHEN FITTED WITH CLOSED FRONTED MR16 LAMP
- SUITABLE FOR ZONE 1, 2 AND 3 BATHROOM USE, AS REQUIRED BY I.E.E. WIRING REGULATIONS (EXCEPT WHERE WATER JETS ARE USED)
- ORDER SYLVANIA PROFESSIONAL MR16 LAMPS (NOT SUPPLIED)
- TRANSFORMER REQUIRED (SEE BELOW)

Code No Fixed		Bezel Diameter	Rec Depth	Cut Out Diameter
9134751	12V 50W White	78	90	62
9134754	12V 50W Chrome	78	90	62
9134758	12V 50W Antique Gold	78	90	62
9134760	12V 50W Polished Gold	78	90	62
9134763	12V 50W Brushed Iron	78	90	62
9134765	12V 50W Brushed Gold	78	90	62
9134767	12V 50W Black Chrome	78	90	62

Code No Tilt		Bezel Diameter	Rec Depth	Cut Out Diameter
9134770	12V 50W White	82	90	75
9134773	12V 50W Chrome	82	90	75
9134777	12V 50W Antique Gold	82	90	75
9134778	12V 50W Polished Gold	82	90	75
9134782	12V 50W Brushed Iron	82	90	75
9134784	12V 50W Brushed Gold	82	90	75
9134786	12V 50W Black Chrome	82	90	75

Transformers		Width	Length	Depth
2426012	20-60VA	28	91	41
2426013	35-105VA	26	146	38
2426039	50-150VA	30	148	46

Can be dimmed with most types of leading and trailing edge dimmers. Thermally protected against overload and short circuit. Soft start for longer lamp life





Intro Downlight

→ MAINS VOLTAGE

→ FIXED

→ TILT

230-240V Recessed Downlighters for
Sylvania Hi-Spot GU10 ES50 lamps.
Range of finishes to suit traditional
or modern interiors.
Fixed or 30 degree tilt options.



Intro

MAINS VOLTAGE DOWNLIGHT

- WIDE RANGE OF FINISHES
- RECESSED FIXED DOWNLIGHT OR 30 DEGREE TILT OPTIONS
- IP44
- SUITABLE FOR ZONE 1, 2 AND 3 BATHROOM USE, AS REQUIRED BY I.E.E. WIRING REGULATIONS (EXCEPT WHERE WATER JETS ARE USED)
- SYLVANIA 50W GU10 ES50 HI-SPOT LAMP SUPPLIED
- CAN BE DIMMED

Code No Fixed		Bezel Dia	Rec Depth	Cut Out Dia
9134794	50W White	78	90	62
9134800	50W Chrome	78	90	62
9134908	50W Antique Gold	78	90	62
9134808	50W Polished Gold	78	90	62
9134814	50W Brushed Iron	78	90	62
9134915	50W Brushed Gold	78	90	62
9134910	50W Black Chrome	78	90	62

Code No Tilt		Bezel Dia	Rec Depth	Cut Out Dia
9134820	50W White	82	90	75
9134825	50W Chrome	82	90	75
9134922	50W Antique Gold	82	90	75
9134834	50W Polished Gold	82	90	75
9134840	50W Brushed Iron	82	90	75
9134928	50W Brushed Gold	82	90	75
9134923	50W Black Chrome	82	90	75



LIGHTING FOR
KITCHENS
UTILITY ROOMS
WORKSHOPS
KITCHEN CABINETS
GLASS CABINETS
FURNITURE





LS100

→ T5 CABINET LITE

Shallow section 23mm 70mm extruded aluminium, T5 cabinet lite with ribbed diffuser and on/off switch. Concealed lighting for cabinets, furniture and display lighting. For surface mounting singly or butt jointed for continuous mounting up to ten fixtures Sylvania T5 lamp supplied. Finish satin silver.



LS100

T5 CABINET LITE

- SHALLOW CROSS SECTION 23MM X 70MM
- SATIN SILVER FINISH
- RIBBED DIFFUSER FOR EVEN LIGHT DISTRIBUTION
- CLASS 2 IP20
- 1.5 METRE MAINS CORD, BUTT CONNECTOR AND 275MM FLEXIBLE CORNER CONNECTOR INCLUDED
- HIGH FREQUENCY BALLAST
- 8W TO 35W T5 SYLVANIA 830 LAMPS SUPPLIED



Code No			Width	Length	Depth
2426014	8W	T5 Satin Silver	70	350	23
2426015	13W	T5 Satin Silver	70	575	23
2426016	14W	T5 Satin Silver	70	610	23
2426017	21W	T5 Satin Silver	70	910	23
2426018	28W	T5 Satin Silver	70	1210	23
2426019	35W	T5 Satin Silver	70	1510	23





LS110

→ T5 CABINET LITE

Shallow section 25mm x 70mm moulded T5 cabinet lite with ribbed diffuser and on/off switch. Concealed lighting for cabinets, furniture and display lighting. For surface mounting singly or butt jointed for continuous mounting up to ten fixtures Sylvania T5 lamp supplied. Finish white.



LS110

T5 CABINET LITE

- SHALLOW CROSS SECTION 25 X 70MM
- WHITE MOULDED HOUSING.
- RIBBED DIFFUSER FOR EVEN LIGHT DISTRIBUTION
- CLASS 2 IP20
- 1.5 METRE MAINS CORD, BUTT CONNECTOR AND 275MM FLEXIBLE CORNER CONNECTOR INCLUDED
- HIGH FREQUENCY BALLAST
- 8W AND 13W T5 SYLVANIA 830 LAMPS SUPPLIED



Code No			Width	Length	Depth
2426020	8W	T5 White	70	340	25
2426021	13W	T5 White	70	570	25





LS200

→ T5 CABINET LITE

Ultra slim section 23mm x 43mm high frequency T5 cabinet lite with ribbed diffuser and on/off switch. Concealed strip lighting for cabinets, furniture, alcoves, pelmets and display lighting. For surface mounting singly or butt jointed for continuous mounting up to ten fixtures. Sylvania T5 lamp supplied. Finish White.



LS200

T5 CABINET LITE

- SHALLOW CROSS SECTION 23 X 43MM
- WHITE EXTRUDED HOUSING.
- RIBBED DIFFUSER FOR EVEN LIGHT DISTRIBUTION
- CLASS 2 IP20
- 2.0 METRE MAINS CORD, BUTT CONNECTOR AND 500MM FLEXIBLE CORNER CONNECTOR INCLUDED
- HIGH FREQUENCY BALLAST
- 6W TO 28W T5 SYLVANIA 830 LAMPS SUPPLIED



Code No			Width	Length	Depth
2425966	6W	T5 White	23	275	43
2425967	8W	T5 White	23	355	43
2425968	14W	T5 White	23	595	43
2425969	21W	T5 White	23	900	43
2425970	28W	T5 White	23	1215	43





LS210

→ T5 CABINET LITE

Slim section 28mm x 35mm moulded T5 Cabinet Lite with ribbed diffuser and on/off switch. Concealed lighting for cabinets, furniture and display lighting. For surface mounting singly or butt jointed for continuous mounting up to ten fixtures Sylvania T5 lamp supplied. Finish white.



LS210

T5 CABINET LITE

- SHALLOW CROSS SECTION 28 X 35MM
- WHITE MOULDED HOUSING
- RIBBED DIFFUSER FOR EVEN LIGHT DISTRIBUTION
- CLASS 2 IP20
- 1.5 METRE MAINS CORD, BUTT CONNECTOR AND 300MM FLEXIBLE CORNER CONNECTOR INCLUDED
- HIGH FREQUENCY BALLAST
- 8W AND 13W T5 SYLVANIA 830 LAMPS SUPPLIED



Code No			Width	Length	Depth
2426022	8W	T5 White	28	405	35
2426023	13W	T5 White	28	635	35





LS300

→ CABINET LITE

Unique cold cathode lighting for kitchen cabinet, furniture, glass cabinet display lighting, Sealed for life 5W and 6W triple units can be butt jointed or alternatively connected with flexible couplers provided via remote low voltage DC power supply.

Cold cathode sealed for life lamp replacement housings available.



LS300

CABINET LITE

- SEALED FOR LIFE COLD CATHODE
- 5W AND 6W TRIPLE LIGHT UNITS
- SUPPLIED WITH 12V DC REMOTE POWER SUPPLY COMPLETE WITH 1.5 METRE POWER CORD
- CLASS 2, IP20
- REPLACEMENT LINOLITE LAMP HOUSINGS AVAILABLE
- ON/OFF SWITCH
- 2.0 METRE 12V DC POWER CORD, BUTT CONNECTOR AND 300MM FLEXIBLE CORNER CONNECTORS INCLUDED



3 x **2426024**



3 x **2426025**

Code No		Width	Length	Depth
2426024	3 x 5W Silver	110	160	15
2426025	3 x 6W Silver	60	295	15

Replacement sealed lamp housings		Width	Length	Depth
2426040	1 x 5W Silver	110	160	15
2426041	1 x 6W Silver	60	295	15

Replacement Housings



1 x **2426040**



1 x **2426041**

Linolite:SYLVANIA



LS400

→ T8 SUPER LITE

Slim section extruded aluminium high frequency T8 super batten with ribbed clear diffuser
For surface mounting in Kitchens, utility rooms, or concealed display lighting. Sylvania T8 lamp supplied. Finish white.



Linolite:SYLVANIA

LS400

T8 SUPER LITE

- SHALLOW CROSS SECTION 35 X 60MM
- WHITE HOUSING AND END CAPS
- RIBBED DIFFUSER FOR EVEN LIGHT DISTRIBUTION
- CLASS 1, IP20
- HIGH FREQUENCY BALLAST
- 18W TO 58W T8 SYLVANIA 830 LAMPS SUPPLIED



Code No		Width	Length	Depth
2426026	18W T8 White	35	650	60
2426027	30W T8 White	35	955	60
2426028	36W T8 White	35	1040	60
2426029	58W T8 White	35	1560	60





Slimlite

→ SKELETON STRIP LIGHTING

Slimlite skeleton strips for concealed lighting in furniture, glass cabinets, Alcoves, pelmets and display lighting. timeless low cost lighting strips an infinite variety of applications. Multiple switching options, easily dimmed. For use with 30W or 60W 221mm and 284mm striplight lamps



Slimlite

SKELTON STRIP LIGHTING

- SLENDER CROSS SECTION
- UN-SWITCHED, PUSH SWITCH, OR PULL CORD
- WHITE FINISHED STEEL SPINE
- ISOLATING LAMPHOLDERS FOR SAFE RE-LAMPING
- CLASS 1, IP20
- ORDER 30W OR 60W 221MM OR 284MM SYLVANIA STRIPLIGHT LAMPS (NOT SUPPLIED)
- EASILY DIMMABLE
- OPTIONAL REFLECTORS

Slimlite for 221mm Lamps

Code No		Width	Length	Depth
2460710	White Pull cord switch	27	358	42
2460720	White Push switch	27	358	42
2460730	White Un-switched	27	358	42

Slimlite for 284mm Lamps

Code No		Width	Length	Depth
2460750	White Pull cord switch	27	421	42
2460760	White Push switch	27	421	42
2460770	White Un-switched	27	421	42

Slimlite optional reflectors

Code No		Width	Length	Depth
2465080	Reflector 221mm Slimlite	50	328	42
2465090	Reflector 284mm Slimlite	50	421	42



Code No	Page	Code No	Page	Code No	Page	INDEX
2425707	5	2426020	61	9134840	55	
2425708	5	2426021	61	9134908	55	
2425709	5	2426022	65	9134910	55	
2425713	5	2426023	65	9134915	55	
2425714	5	2426024	67	9134922	55	
2425715	5	2426025	67	9134923	55	
2425716	5	2426026	69	9134928	55	
2425717	5	2426027	69			
2425718	5	2426028	69			
2425719	5	2426029	69			
2425720	5	2426030	49			
2425721	5	2426031	49			
2425722	5	2426032	49			
2425733	15	2426033	49			
2425740	5	2426034	51			
2425741	5	2426035	51			
2425742	5	2426036	51			
2425884	37	2426037	51			
2425885	37	2426038	29			
2425886	37	2426040	67			
2425934	21	2426041	67			
2425966	63	2451800	11			
2425967	63	2451810	11			
2425968	63	2451820	11			
2425969	63	2451830	11			
2425970	63	2451840	11			
2425975	23	2451850	11			
2425976	27	2457440	13			
2425977	25	2460710	71			
2425978	31	2460720	71			
2425979	31	2460730	71			
2425980	33	2460750	71			
2425981	35	2460760	71			
2425983	35	2460770	71			
2425985	41	2464980	9			
2425986	41	2464990	9			
2425987	41	2465080	71			
2425988	43	2465090	71			
2425989	43	2465720	19			
2425990	43	2465730	19			
2425991	47	2465740	19			
2425992	47	2465750	19			
2425993	47	2465760	17			
2425994	45	2465770	17			
2425995	45	2465780	17			
2425996	49	2465790	17			
2425997	49	2465800	21			
2425998	49	2465810	21			
2425999	49	2467440	15			
2426000	51	9134751	53			
2426001	51	9134754	53			
2426002	51	9134758	53			
2426003	51	9134760	53			
2426004	49	9134763	53			
2426005	49	9134765	53			
2426006	49	9134767	53			
2426007	49	9134770	53			
2426008	51	9134773	53			
2426009	51	9134777	53			
2426010	51	9134778	53			
2426011	51	9134782	53			
2426012	47	9134784	53			
2426013	47	9134786	53			
2426039	47	9134794	55			
2426014	59	9134800	55			
2426015	59	9134808	55			
2426016	59	9134814	55			
2426017	59	9134820	55			
2426018	59	9134825	55			
2426019	59	9134834	55			

Middle East Sales

International Sales Division
Dubai Airport Free Zone
PO Box 54350
Dubai
UAE

Tel: +971 (4) 299 6551
Fax: +971 (4) 299 6552
Email: sameeh.moualla@concordmarlin.com
smoualla@concord1.ae

International Sales

Avis Way
Newhaven
East Sussex
BN9 0ED
United Kingdom

T: +44 (0)870 606 2030
F: +44 (0)870 241 0803
Email: linolite@sylvania-lighting.com

www.concordmarlin.com
www.sylvania-lighting.com