



EC - TYPE EXAMINATION CERTIFICATE

Component Intended for use on/in an Equipment or Protective System
Intended for use in Potentially Explosive Atmospheres - Directive 94/9/EC

- 3 EC - Type Examination Certificate Number: **Baseefa06ATEX0236U**
- 4 Component: **TYPE 375 RANGE OF STOPPING PLUGS**
- 5 Manufacturer: **Hawke International**
- 6 Address: **Oxford Street West, Ashton-under-Lyne, Lancashire, OL7 0NA**
- 7 This component and any acceptable variation thereto is specified in the schedule to this certificate and the documents therein referred to.
- 8 Baseefa (2001) Ltd., Notified Body number 1180, in accordance with Article 9 of the Council Directive 94/9/EC of 23 March 1994, certifies that this component has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of components intended for use in potentially explosive atmospheres given in Annex II to the Directive.
- The examination and test results are recorded in confidential Report No. **GB/BAS/ExTR06.0083/00**
- 9 Compliance with the Essential Health and Safety Requirements has been assured by compliance with:
EN 60079-0: 2004 EN 60079-7: 2003 IEC 61241-0: 2004 EN 61241-1: 2004
except in respect of those requirements listed at item 18 of the Schedule.
- 10 The sign "U" is placed after the certificate number. It indicates that this certificate must not be mistaken for a certificate intended for an equipment or protective system. This partial certification may be used as a basis for certification of an equipment or protective system.
- 11 This EC - TYPE EXAMINATION CERTIFICATE relates only to the design and construction of the specified Component. Further requirements of the Directive apply to the manufacturing process and supply of this component. These are not covered by this certificate.
- 12 The marking of the component shall include the following :

 **II 2 GD Exe II Ex tD A21**

This certificate may only be reproduced in its entirety, without any change, schedule included.

Baseefa Customer Reference No. **0500**

Project File No. **04/0909**

This certificate is granted subject to the general terms and conditions of Baseefa (2001) Ltd. It does not necessarily indicate that the equipment may be used in particular industries or circumstances.

Baseefa

Rockhead Business Park, Staden Lane,
Buxton, Derbyshire SK17 9RZ
Telephone +44 (0) 1298 766600 Fax +44 (0) 1298 766601
e-mail info@baseefa.com web site www.baseefa.com
Baseefa is a trading name of Baseefa (2001) Ltd
Registered in England No. 4305578 at the above address

R S SINCLAIR
DIRECTOR
On behalf of
Baseefa (2001) Ltd.



13

Schedule

14

Certificate Number Baseefa06ATEX0236U

15 Description of Component

The Type 375 Range of Stopping Plugs are a natural black plastic and are available in two sizes M20 x 1.5 pitch and M25 x 1.5 pitch.

The stopping plug comprises of a 15mm length of thread with a domed head moulded with a hexagonal recess in the top of the head. A nitrile or silicone rubber o-ring is positioned under the head in an undercut at the base of the thread.

The stopping plug when fitted in the equipment as specified on D2555 meets the requirements of IP66 and IP67.

16 Report Number

GB/BAS/ExTR06.0083/00

17 Schedule of Limitations

1. Stopping plugs shall not be exposed to temperatures outside the range -60°C to +75°C.

18 Essential Health and Safety Requirements

All relevant Essential Health and Safety Requirements are covered by the standards listed at item 9.

19 Drawings and Documents

Number	Issue	Date	Description
D2555	B	07/08/06	375 Stopping plug general arrangement
D2556	A	23/03/01	375 Stopping plug detail

All drawings are common to and held on IECEx BAS 06.0056U